

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-247-2
Relating to Certification of New Motor Vehicles

INDUSTRIE PININFARINA S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Industrie Pininfarina S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FPF2.0V5FMT7	122 (2.0)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.31	2.4	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30th day of July 1984


K. D. Drachand, Chief
Mobile Source Division

Manufacturer INDUSTRIE PININFARINA S.p.A. Executive Order No. A-247-2
 Engine Family FPE2.0V5FMT7 Evaporative Family EV-2BC
 Engine CID (Liters) 121.7(2.0)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion Chamber Valve
EEC-Electronic Engine Control	AIV-Air Injection-Valve	CFI-Central Fuel Injection
EI-Electronic Ignition	CL-Closed Loop	DID-Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR-Exhaust Gas Recirculation	DIP-Diesel Injection-Prechamber
VA-Vacuum Advance	EM-Engine Modification	EFI-Electronic Fuel Injection
VR-Vacuum Retard	OC-Oxidation Catalyst System	IC - Intercooler
	TOC-Trap Oxidizer Continual	MFI-Mechanical Fuel Injection
	TOP-Trap Oxidizer Periodical	TC-Turbocharged
	TR-Thermal Reactor	
	TWC-Three-Way Catalyst System	

Fuel System
 CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

VEHICLE MODELS: PININFARINA SPIDER

DRIVE SYSTEM: Front Engine/ Rear -Wheel Drive

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer INDUSTRIE PININFARINA S.p.A.

Page 2

Engine Family FPF2.0V5FMT7

Engine D61XI.14V61.BT

Code D61YI.14V61.BT

ECS (Special Features) TWC-CL, (EFI)

CID (Liter)-

Type 121.7(2.0) L-4

Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System CA,VA,EI Part No.	Fuel System EFI Part No.	EGR Valve Part No.	Label Ident. Part No.
D61XI.14V61.BT D61YI.14V61.BT	PININFARINA Spider	M5	2625	Marelli 809 P2	Bosch Electronic Control Unit	N.A.	109840
		A3	2750		0.280.000.222		
			Test hp. 8.8				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -